

## ASSEMBLY INSTRUCTIONS

## U423656-TOP SARATOGA ROUND DINING TABLE CEMENT TOP

U3 Universal Assembly instructions disclaimer text

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may have come loose inside the carton during shipment.



**Caution:**

(1) These parts are cumbersome and heavy. This product can best be assembled with the assistance of one or more persons in order to prevent personal injury and to insure parts are not damaged during the assembly process. If dirty, clean finished parts with mild dishwashing liquid and water solution applied on a damp cloth. The cloth should not be excessively wet. Polish finish with a soft cloth and an industry recognized furniture polish.


(2) To prevent damage to your floor or carpet, please check the bottom of each piece of furniture for stain residue and rough surfaces and also check for staples or nails left after removing the packaging material. The manufacturer will not be held responsible if preventative steps are not taken prior to installation.

(3) Unpack and dispose of all packing material but be careful not to throw away any assembly parts or hardware. Read the instruction sheet and parts list carefully. Remove all staples and screws used for packaging carefully using pliers and (or) screwdrivers to prevent injury and scratching or damaging flooring.


(4) During normal use everyday, screws, bolts, nuts and wooden plugs may loosen up. They should be periodically inspected and re-tightened to prevent damage to the furniture and (or) personal property or cause injury. Always check to be sure all hardware on this list and the above mentioned components is attached to the furniture properly and kept tightened at all times.



A




## Step 1



The round table top is very heavy. Assemble 6 people to lift it out of the crate.

---


## Step 2



Position the 6 people around the top - have them put their hands in the gaps between the crate and the top and grip the lip of the top firmly. Carefully lift the top out of the crate.


---

## Step 3




With the assembled base adjacent to the top crate - carefully shuffle side ways and place the top on the base.

## Step 4



Note: Make sure the location dowels on top of the base go into the holes in the frame under the top.


## Step 5



Note 1: Insert all the bolts into their respective holes half tight at first. Fully tighten only when all the bolts have been successfully inserted into their holes.



Note 2 : Hardware A,C,D,H Is in the hardware box packed with base.

## Step 6




Insert reducer and cover into concrete top as required

## Step 7



Threaded adjustable foot



Adjust feet for uneven floor (if necessary)

---

## Step 8 ( FINISHED ASSEMBLY )

