

# COMMERCIAL

LIGHT UTILITY VEHICLES



Shown with optional Yamaha Genuine Accessories.



 **Golf Car**



**60**  
+ YEARS

**YAMAHA MOTOR CORPORATION**

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including motorcycles, ATVs, personal watercraft vehicles and so much more.



BOATS



MARINE ENGINES



WAVERUNNERS®



MOTORCYCLES



ALL-TERRAIN VEHICLES



RECREATIONAL VEHICLES



INTELLIGENT MACHINERY



REMOTELY PILOTED HELICOPTERS

# A TOUGH LIGHT UTILITY VEHICLE DESIGNED TO MAKE THE JOB EASIER.



With five color options, four-wheel brakes, luxurious bucket seats, an under-hood storage compartment and large 20" tires, all with quiet gas engines or efficient electric motors, you get the features of a hard-working utility vehicle with the feel of a golf car.



## DUMP BED WITH ONE-HAND TAILGATE RELEASE

Featuring an effortless dump bed lock and tailgate, your crew members will enjoy a 12.9 cu. ft. capacity with a max load of 800lbs.



## AUTOMOTIVE-STYLE DASH

Completely redesigned for today's professional with large cup holders, battery/fuel gauge, and a large storage area.



## LUXURIOUS BUCKET SEATS

Derived from our award-winning Viking® Side-by-Side, you can enjoy a comfortable ride with support that will last your entire work day.

Shown with optional Yamaha Genuine Accessories.



AVAILABLE FOR  
UMAX RALLY 2+2  
UMAX RALLY  
UMAX



GLACIER

AVAILABLE FOR  
UMAX RALLY 2+2  
UMAX RALLY  
UMAX



BLUESTONE

METALLIC

AVAILABLE FOR  
UMAX RALLY  
UMAX



EVERGREEN

METALLIC

AVAILABLE FOR  
UMAX RALLY 2+2  
UMAX RALLY  
UMAX



CORAL RED

METALLIC

AVAILABLE FOR  
UMAX RALLY 2+2



6 CYAN

MATTE

AVAILABLE FOR  
UMAX RALLY 2+2



TITAN

MATTE

AVAILABLE FOR  
UMAX RALLY 2+2  
UMAX RALLY  
UMAX



CARBON

METALLIC

AVAILABLE FOR  
UMAX RALLY 2+2



7 ONYX

METALLIC



# ALL THE POWER OF YAMAHA IN ONE CAR

## GAS

## ELECTRIC

FEATURES	UMAX EFI
Rear Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension
Yamaha-Built Engine	✔ 402cc, low-emission single cylinder 60° incline HOV
Miles Per Gallon	✔ 45 mpg
Vehicle Capacity	✔ 1,500 lbs
Additional Features	✔ Quiet Operation

FEATURES	UMAX Li	UMAX AC
Rear Suspension	✔ Cradle-Smooth Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension	✔ Independent Suspension
Battery	✔ Lithium-Ion	✔ 6 - 8V Trojan T-105
Toyota MCU	✔ Standard	✔ Standard
Power Production	✔ 6.7 hp (5.0 kW)	✔ 6.7 hp (5.0 kW)
Delta-Q Charger	✔ Standard	✔ Standard
Additional Features	✔ Zero Maintenance — No Watering	✔ Time Tested Reliability



AVAILABLE WITH UMAX EFI AND UMAX Li POWERTRAINS

RALLY

UMAX

Our UMAX Rally® was expertly designed to get the job done, however big or small. Get the most of your work day with features like a lifted suspension and 23" tires wrapped around 12" V-window wheels, complete with a Yamaha Genuine front brush guard and fender flares.

LIFTED  
SUSPENSION

23 INCH  
TIRES

6 INCH  
CLEARANCE



COMES STANDARD WITH FRONT BRUSH GUARD AND FENDER FLARES.



THE UTILITY VEHICLE WITH ATTITUDE



NEW LITHIUM BATTERY OPTION



NEW UPHOLSTERED SEAT DESIGN



REDESIGNED STEERING WHEEL



NEW FOR 2026 UMAX RALLY AND RALLY<sup>2+2</sup>

NEW INTEGRATED LED BRAKE AND TAILLIGHTS

From a dirt road at the farm to a paved pathway at the airport, this vehicle ensures you'll get the job done. With comfortable convertible seating, plenty of storage, and an edgy design, the UMAX Rally 2+2 can meet the terrain demands wherever your work takes you.



**UMAX RALLY**  
STANDARD ACCESSORIES

**200 LB STORAGE CAPACITY**  
REAR FACING FOLD-DOWN SEAT KIT

**A COMFORTABLE RIDE  
BUILT FOR VERSATILITY**

# COMFORT AND RELIABILITY FOR EVERY TASK




At Yamaha, we're innovating to make our golf cars work harder, combining modern colors, sleek body styling, and confident performance. With convenient features, smooth independent suspension engineered for comfort and the quietest, most efficient powertrains available, our Drive<sup>2</sup> lineup looks and drives better than ever.

## DRIVE<sup>2</sup>




### STORAGE BIN AND USB CONNECTIONS

Large dash storage bin with anti-slip mat to keep valuables in place and two USB connections to maintain power and stay charged on the go.



### AUTOMOTIVE-STYLE DASH

Fully equipped with larger cup holders, USB connections and ample space for mobile devices and anything else you want to take on your journey.



### INDEPENDENT REAR SUSPENSION

Experience stability and comfort. Standard on all Drive<sup>2</sup> PowerTech Li, Drive<sup>2</sup> PowerTech AC and Drive<sup>2</sup> QuieTech EFI models.



GLACIER

IN-MOLD



RACING BLUE

METALLIC



CORAL RED

METALLIC



ONYX

METALLIC



PEARL

METALLIC



PERIDOT

METALLIC



CARBON

METALLIC



TITAN

MATTE

# WHATEVER THE JOB, YAMAHA HAS IT COVERED



## GAS

## ELECTRIC

You can't go wrong with superior gas and electric solutions, all standard with independent front and rear suspension, USB ports, and padded steering wheels. If you prefer gas, the Drive<sup>2</sup> QuieTech EFI provides the quietest ride of any gas car. If you prefer electric, experience the cutting edge of lithium electric vehicles with PowerTech Li, or the time-tested batteries of the PowerTech AC. No matter the job, we'll help you get it done with complete comfort and ease.

### FEATURES

Rear Suspension  
Front Suspension  
Yamaha-Built Engine  
Miles Per Gallon  
Easy Access Engine Compartment  
Additional Features

### DRIVE<sup>2</sup> QUIETECH EFI

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ 357cc, low-emission single cylinder 60° incline HOV
- ✓ 45 mpg
- ✓ Standard
- ✓ 60.5 dB engine noise

### FEATURES

Rear Suspension  
Front Suspension  
Battery  
Toyota MCU  
Power Production  
Delta-Q Charger  
Additional Features

### DRIVE<sup>2</sup> POWERTECH LI

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ Lithium-Ion
- ✓ Standard
- ✓ 4.4 hp (3.3 kW)
- ✓ Standard
- ✓ Zero Maintenance — No Watering

### DRIVE<sup>2</sup> POWERTECH AC

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ 6 - 8V Trojan T-875 FLA
- ✓ Standard
- ✓ 4.4 hp (3.3 kW)
- ✓ Standard
- ✓ Time Tested Reliability



Compare battery options online.

# SUPER HAULER

## HARDWORKING AND READY FOR THE HAUL

**DRIVE<sup>B</sup>** QUIETECH EFI  
POWERTECH AC  
POWERTECH IRS

AVAILABLE WITH QUIETECH EFI, POWERTECH LI AND AC POWERTRAINS

Whether you're replacing water heaters or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.



**72" x 48"**  
ALUMINUM CARGO BED

**800 LB**  
CARGO CAPACITY



 **YAMAHA**  
**GENUINE**  
Parts & Accessories

**DON'T EXPECT IT.  
DEMAND IT!®**

Yamaha Genuine Parts & Accessories are backed by a factory limited warranty—up to three-years for certain Golf Car accessories. Terms and conditions apply; see your Yamaha Golf Car dealer for a copy of the limited warranty statement.



**SHOP YAMAHA  
GENUINE PARTS  
AND ACCESSORIES**

**SPECIFICATIONS**

**DRIVE<sup>2</sup> GAS**

**DRIVE<sup>2</sup> ELECTRIC**

	<b>SUPER HAULER QUIETECH EFI</b>	<b>SUPER HAULER POWERTECH AC</b>	<b>SUPER HAULER POWERTECH LI</b>
<b>OVERALL LENGTH</b>	142.9 in (363 cm)	142.9 in (363 cm)	
<b>OVERALL WIDTH</b>	53.5 in (136 cm)	53.5 in (136 cm)	
<b>OVERALL HEIGHT*</b>	73.6 in (187 cm)	73.2 in (186 cm)	73.8 in (188 cm)
<b>WHEELBASE</b>	98 in (249 cm)	98 in (249 cm)	
<b>FRONT WHEEL TREAD</b>	34.8 in (89 cm)	34.8 in (89 cm)	
<b>REAR WHEEL TREAD</b>	38.4 in (98 cm)	38.4 in (98 cm)	38.8 in (99 cm)
<b>MINIMUM GROUND CLEARANCE</b>	5.9 in (15 cm)	5.5 in (14 cm)	6.1 in (16 cm)
<b>CURB WEIGHT*</b>	986 lb (447 kg)	1,354 lb (614 kg)	1,072 lb (486 kg)
<b>FLOOR BOARD HEIGHT</b>	13.2 in (34 cm)	12.8 in (33 cm)	13 in (33 cm)
<b>TIRE SIZE</b>	205/65-10 4-PLY	205/65-10 4-PLY	
<b>FUEL TANK CAPACITY</b>	22 liters (5.8 gallons)	N/A	
<b>SEATING CAPACITY</b>	Two persons	Two persons	
<b>AVAILABLE MODEL COLORS</b>	Glacier	Glacier	
<b>AVAILABLE SEAT COLORS</b>	<b>Standard:</b> Black <b>Optional:</b> Stone	<b>Standard:</b> Black <b>Optional:</b> Stone	
<b>AVAILABLE SUN TOP COLORS</b>	Black	Black	
<b>WARRANTY</b>	Standard 2-year limited vehicle warranty	Standard 2-year limited vehicle warranty	
<b>MAX FORWARD SPEED</b>	19 mph (30.5 km/h)	19.5 mph (31.4 km/h)	
<b>MINIMUM TURNING RADIUS</b>	14.4 ft (4.4 m)	14.4 ft (4.4 m)	
<b>ENGINE TYPE (Gas)   MOTOR (Electric)</b>	Yamaha-built 357 cc, Low Emission Single Cylinder 60° Incline OHV	48-volt AC Motor	
<b>LUBRICATION SYSTEM</b>	Splash-style positive oil lubrication	N/A	
<b>OIL CAPACITY   OUTPUT RATING</b>	1.06 U.S. quart (1 liter, 1000 cc)	6.7hp (5.0 kw)	
<b>AIR CLEANER   MOTOR CONTROL UNIT</b>	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge	NEOS 350 amp AC controller by Toyota Industries Corporation	Toyota Industries-built motor controller unit
<b>COOLING SYSTEM   BATTERIES</b>	Forced air cooled	Six 8-volt Trojan T-875 Batteries	Lithium Ion Phosphate
<b>STARTING SYSTEM   CHARGER</b>	Starter generator with pedal start system	Delta-Q Charger	
<b>FUEL SYSTEM</b>	Electronic fuel injection	N/A	
<b>FRAME</b>	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat	
<b>BODY</b>	Mold-in Polypropylene	Mold-in Polypropylene	
<b>STEERING</b>	Self-Compensating double reduction helical rack-and-pinion	Self-Compensating double reduction helical rack-and-pinion	
<b>FRONT SUSPENSION</b>	Tru-Trak II™ fully independent automotive-style strut suspension	Tru-Trak II™ fully independent automotive-style strut suspension	
<b>REAR SUSPENSION</b>	Fully independent automotive-style strut suspension	Unit swing arm with coil springs over hydraulic shock absorbers	
<b>BRAKES</b>	Self-adjusting mechanical, rear-wheel drum brakes	Self-adjusting mechanical, rear-wheel drum brakes	
<b>BUMPERS</b>	Front and rear 5 mph energy-absorbing bumpers	Front and rear 5 mph energy-absorbing bumpers	
<b>CARGO BED LENGTH</b>	70.1 in (178 cm)	70.1 in (178 cm)	
<b>CARGO BED WIDTH</b>	47 in (120 cm)	47 in (120 cm)	
<b>CARGO BED HEIGHT</b>	7.9 in (20 cm)	7.9 in (20 cm)	
<b>CARGO BED CAPACITY</b>	800 lb (363 kg)	800 lb (363 kg)	

**SPECIFICATIONS**

**UMAX GAS**

**UMAX ELECTRIC**

	<b>UMAX EFI</b>	<b>RALLY EFI</b>	<b>RALLY<sup>2+2</sup> EFI</b>	<b>UMAX AC</b>	<b>UMAX LI</b>	<b>RALLY LI</b>	<b>RALLY<sup>2+2</sup> LI</b>
<b>OVERALL LENGTH</b>	119.3 in (303.0 cm)	122.6 in (311.5 cm)	134.4 in (341.5 cm)	119.3 in (303.0 cm)		122.6 in (311.5 cm)	134.4 in (341.5 cm)
<b>OVERALL WIDTH</b>	49.4 in (125.5 cm)	53.5 in (136.0 cm)		49.4 in (125.5 cm)		53.5 in (136.0 cm)	
<b>OVERALL HEIGHT (WITH SUN TOP)</b>	71.9 in (182.5 cm)	74.0 in (188.0 cm)	76.8 in (195.0 cm)	71.9 in (182.5 cm)		74.0 in (188.0 cm)	76.8 in (195.0 cm)
<b>OVERALL HEIGHT (NO SUN TOP)</b>	48.6 in (123.5 cm)	65.4 (166.0)		48.6 in (123.5 cm)		65.4 in (166.0 cm)	
<b>WHEELBASE</b>	77.2 in (196.0 cm)	77.4 in (196.5 cm)		77.2 in (196.0 cm)		77.4 in (196.5 cm)	
<b>FRONT WHEEL TREAD</b>	40.4 in (102.5 cm)	41.3 in (105.0 cm)		40.4 in (102.5 cm)		41.3 in (105.0 cm)	
<b>REAR WHEEL TREAD</b>	40.2 in (102.0 cm)	41.3 in (105.0 cm)		40.2 in (102.0 cm)		41.3 in (105.0 cm)	
<b>MINIMUM GROUND CLEARANCE</b>	4.5 in (11.5 cm)	5.9 in (15.0 cm)		4.5 in (11.5 cm)		5.9 in (15.0 cm)	
<b>CURB WEIGHT*</b>	1,096 lb (497kg)	1,188 lb (539 kg)	1,367 lb (620 kg)	1,460 lb (662 kg)	1,096 lb (497 kg)	1,184 lb (537 kg)	1,363 lb (618 kg)
<b>TIRE SIZE</b>	20x10-10 4-ply Monitor K389 (front) K500 (rear)	23x13.50-12 4-ply		20x10-10 4-ply Monitor		23x13.50-12 4-ply	
<b>FUEL TANK CAPACITY</b>	5.2 US gal (20 liters)			N/A			
<b>SEATING CAPACITY</b>	Two Persons		Four Persons	Two Persons			Four Persons
<b>AVAILABLE MODEL COLORS</b>	Glacier, Coral Red, Bluestone, Carbon, Evergreen			Glacier, Coral Red, Bluestone, Carbon, Evergreen			
<b>AVAILABLE SEAT &amp; SUN TOP COLOR</b>	Black			Black			
<b>WARRANTY</b>	Standard 2-year limited vehicle warranty			Standard 2-year limited vehicle warranty			
<b>MAX FORWARD SPEED</b>	19.5 mph (31.4 km/h)			19.5 mph (31.4 km/h)			
<b>MAX REVERSE SPEED</b>	14.6 mph (23 km/h)			6.2 mph (10 km/h)			
<b>MINIMUM TURNING RADIUS</b>	13.1 ft (4.0 m)			13.1 ft (4.0 m)			
<b>G.V.W.R.</b>	2,225 lb (1,009 kg)	2,379 lb (1,079 kg)	2,209 lb (1,002 kg)	2,589 lb (1,174 kg)	2,225 lb (1,009 kg)	2,375 lb (1,077 kg)	2,205 lb (1,000 kg)
<b>ENGINE TYPE (Gas)   MOTOR (Electric)</b>	Yamaha-built 402 cc, Low Emission Single Cylinder 60° Incline OHV			48-volt AC Motor			
<b>HORSEPOWER   OUTPUT RATING</b>	14.25 hp (3600 rpm)			6.7 hp (5.0kw for 60 minutes)			
<b>AIR CLEANER   MOTOR CONTROL UNIT</b>	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge			NEOS 350 amp AC controller by Toyota Industries Corporation			
<b>FUEL SYSTEM   BATTERIES</b>	Electronic fuel injection			Eight 6-volt Trojan T-105 Batteries	RoyPow S51105PC (51-volt)		
<b>STARTING SYSTEM</b>	Electric starter/generator			N/A			
<b>COOLING SYSTEM</b>	Forced air			N/A			
<b>LUBRICATION SYSTEM</b>	Splash-stye positive oil lubrication			N/A			
<b>OIL CAPACITY</b>	1.16 U.S. Quart (1.1 Liter, 1100cc), Yamalube 10W-30 or 10W-40			N/A			
<b>FRAME</b>	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			
<b>BODY</b>	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			
<b>STEERING</b>	Self-Compensating double reduction helical rack-and-pinion			Self-Compensating double reduction helical rack-and-pinion			
<b>FRONT SUSPENSION</b>	Tru-Trak II™ fully independent automotive-style strut suspension			Tru-Trak II™ fully independent automotive-style strut suspension			
<b>REAR SUSPENSION</b>	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			
<b>BRAKES</b>	Self-adjusting mechanical, front and rear wheel drum brakes			Self-adjusting mechanical, front and rear wheel drum brakes			
<b>CARGO BED MAX LOAD</b>	800 lb (363 kg)		N/A	800 lb (363 kg)		N/A	
<b>MAXIMUM TOWING CAPACITY</b>	1,500 lb (680 kg)		N/A	1,500 lb (680 kg)		N/A	
<b>MAX TONGUE WEIGHT</b>	150 lb (68 kg)		N/A	150 lb (68 kg)		N/A	
<b>VEHICLE RATED CAPACITY</b>	1,200 lb (544 kg)	N/A		1,200 lb (544 kg)		850 lb	
<b>CARGO BED DIMENSIONS</b>	41.1"L x 45.9"W x 11.8"H		N/A	41.1"L x 45.9"W x 11.8"H		N/A	

\*Includes suntop, battery, oil, and gasoline when applicable.

\*Includes suntop, battery, oil, and gasoline when applicable.

DIMENSIONS

GENERAL / PERFORMANCE

ENGINE / MOTOR / POWER SUPPLY

CHASSIS

DIMENSIONS

GENERAL / PERFORMANCE

ENGINE / MOTOR / POWER SUPPLY

CHASSIS



Shown with optional Yamaha Genuine Accessories



1270 Chastain Road NW  
Kennesaw, Georgia 30144  
1.866.747.4027 | YamahaGolfCar.com



Scan for a digital copy of this brochure

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services. Products and specifications are subject to change without notice.



Contract # R10-1175C



Contract # 091024-YGC



Contract # 706-23