

COMMERCIAL

LIGHT UTILITY VEHICLES



Shown with optional Yamaha Genuine Accessories.



 **Golf Car**



60
+ YEARS

YAMAHA MOTOR CORPORATION

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including motorcycles, ATVs, personal watercraft vehicles and so much more.



BOATS



MARINE ENGINES



WAVERUNNERS®



MOTORCYCLES



ALL-TERRAIN VEHICLES



RECREATIONAL VEHICLES



INTELLIGENT MACHINERY



REMOTELY PILOTED HELICOPTERS

Shown with optional Yamaha Genuine Accessories.

A TOUGH LIGHT UTILITY VEHICLE DESIGNED TO MAKE THE JOB EASIER.



With five color options, four-wheel brakes, luxurious bucket seats, an under-hood storage compartment and large 20" tires, all with quiet gas engines or efficient electric motors, you get the features of a hard-working utility vehicle with the feel of a golf car.

UMAX[®]



DUMP BED WITH ONE-HAND TAILGATE RELEASE

Featuring an effortless dump bed lock and tailgate, your crew members will enjoy a 12.9 cu. ft. capacity with a max load of 800lbs.



AUTOMOTIVE-STYLE DASH

Completely redesigned for today's professional with large cup holders, battery/fuel gauge, and a large storage area.



LUXURIOUS BUCKET SEATS

Derived from our award-winning Viking[®] Side-by-Side, you can enjoy a comfortable ride with support that will last your entire work day.

Shown with optional Yamaha Genuine Accessories.

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



GLACIER

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



BLUESTONE

METALLIC

AVAILABLE FOR
UMAX RALLY
UMAX



EVERGREEN

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



CORAL RED

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2



6 CYAN

MATTE

AVAILABLE FOR
UMAX RALLY 2+2



TITAN

MATTE

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



CARBON

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2



7 ONYX

METALLIC



ALL THE POWER OF YAMAHA IN ONE CAR

GAS

ELECTRIC

FEATURES	UMAX EFI
Rear Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension
Yamaha-Built Engine	✔ 402cc, low-emission single cylinder 60° incline HOV
Miles Per Gallon	✔ 45 mpg
Vehicle Capacity	✔ 1,500 lbs
Additional Features	✔ Quiet Operation

FEATURES	UMAX Li	UMAX AC
Rear Suspension	✔ Cradle-Smooth Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension	✔ Independent Suspension
Battery	✔ Lithium-Ion	✔ 6 - 8V Trojan T-105
Toyota MCU	✔ Standard	✔ Standard
Power Production	✔ 6.7 hp (5.0 kW)	✔ 6.7 hp (5.0 kW)
Delta-Q Charger	✔ Standard	✔ Standard
Additional Features	✔ Zero Maintenance — No Watering	✔ Time Tested Reliability



AVAILABLE WITH UMAX EFI AND UMAX Li POWERTRAINS

RALLY



Our UMAX Rally® was expertly designed to get the job done, however big or small. Get the most of your work day with features like a lifted suspension and 23" tires wrapped around 12" V-window wheels, complete with a Yamaha Genuine front brush guard and fender flares.

LIFTED
SUSPENSION

23 INCH
TIRES

6 INCH
CLEARANCE



COMES STANDARD WITH FRONT BRUSH GUARD AND FENDER FLARES.



THE UTILITY VEHICLE WITH ATTITUDE



NEW LITHIUM BATTERY OPTION



NEW UPHOLSTERED SEAT DESIGN



REDESIGNED STEERING WHEEL



NEW FOR 2026 UMAX RALLY AND RALLY²⁺²

NEW INTEGRATED LED BRAKE AND TAILLIGHTS

From a dirt road at the farm to a paved pathway at the airport, this vehicle ensures you'll get the job done. With comfortable convertible seating, plenty of storage, and an edgy design, the UMAX Rally 2+2 can meet the terrain demands wherever your work takes you.




UMAX RALLY
STANDARD ACCESSORIES

200 LB STORAGE CAPACITY
REAR FACING FOLD-DOWN SEAT KIT

**A COMFORTABLE RIDE
BUILT FOR VERSATILITY**



COMFORT AND RELIABILITY FOR EVERY TASK




At Yamaha, we're innovating to make our golf cars work harder, combining modern colors, sleek body styling, and confident performance. With convenient features, smooth independent suspension engineered for comfort and the quietest, most efficient powertrains available, our Drive² lineup looks and drives better than ever.

DRIVE²



STORAGE BIN AND USB CONNECTIONS

Large dash storage bin with anti-slip mat to keep valuables in place and two USB connections to maintain power and stay charged on the go.



AUTOMOTIVE-STYLE DASH

Fully equipped with larger cup holders, USB connections and ample space for mobile devices and anything else you want to take on your journey.



INDEPENDENT REAR SUSPENSION

Experience stability and comfort. Standard on all Drive² PowerTech Li, Drive² PowerTech AC and Drive² QuieTech EFI models.



GLACIER

IN-MOLD



RACING BLUE

METALLIC



CORAL RED

METALLIC



ONYX

METALLIC



PEARL

METALLIC



PERIDOT

METALLIC



CARBON

METALLIC



TITAN

MATTE

WHATEVER THE JOB, YAMAHA HAS IT COVERED



GAS

ELECTRIC

You can't go wrong with superior gas and electric solutions, all standard with independent front and rear suspension, USB ports, and padded steering wheels. If you prefer gas, the Drive² QuieTech EFI provides the quietest ride of any gas car. If you prefer electric, experience the cutting edge of lithium electric vehicles with PowerTech Li, or the time-tested batteries of the PowerTech AC. No matter the job, we'll help you get it done with complete comfort and ease.

FEATURES

Rear Suspension
Front Suspension
Yamaha-Built Engine

Miles Per Gallon
Easy Access Engine Compartment
Additional Features

DRIVE² QUIETECH EFI

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ 357cc, low-emission single cylinder 60° incline HOV
- ✓ 45 mpg
- ✓ Standard
- ✓ 60.5 dB engine noise

FEATURES

Rear Suspension
Front Suspension
Battery
Toyota MCU
Power Production
Delta-Q Charger
Additional Features

DRIVE² POWERTECH LI

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ Lithium-Ion
- ✓ Standard
- ✓ 4.4 hp (3.3 kW)
- ✓ Standard
- ✓ Zero Maintenance — No Watering

DRIVE² POWERTECH AC

- ✓ Independent Suspension
- ✓ Independent Suspension
- ✓ 6 - 8V Trojan T-875 FLA
- ✓ Standard
- ✓ 4.4 hp (3.3 kW)
- ✓ Standard
- ✓ Time Tested Reliability



Compare battery options online.

SUPER HAULER

HARDWORKING AND READY FOR THE HAUL

DRIVE^B QUIETECH EFI
POWERTECH AC
POWERTECH IRS

AVAILABLE WITH QUIETECH EFI, POWERTECH LI AND AC POWERTRAINS

Whether you're replacing water heaters or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.



72" x 48"
ALUMINUM CARGO BED

800 LB
CARGO CAPACITY



 **YAMAHA**
GENUINE
Parts & Accessories

**DON'T EXPECT IT.
DEMAND IT!®**

Yamaha Genuine Parts & Accessories are backed by a factory limited warranty—up to three-years for certain Golf Car accessories. Terms and conditions apply; see your Yamaha Golf Car dealer for a copy of the limited warranty statement.



**SHOP YAMAHA
GENUINE PARTS
AND ACCESSORIES**

SPECIFICATIONS

DRIVE² GAS

DRIVE² ELECTRIC

	SUPER HAULER QUIETECH EFI	SUPER HAULER POWERTECH AC	SUPER HAULER POWERTECH LI
OVERALL LENGTH	142.9 in (363 cm)	142.9 in (363 cm)	
OVERALL WIDTH	53.5 in (136 cm)	53.5 in (136 cm)	
OVERALL HEIGHT*	73.6 in (187 cm)	73.2 in (186 cm)	73.8 in (188 cm)
WHEELBASE	98 in (249 cm)	98 in (249 cm)	
FRONT WHEEL TREAD	34.8 in (89 cm)	34.8 in (89 cm)	
REAR WHEEL TREAD	38.4 in (98 cm)	38.4 in (98 cm)	38.8 in (99 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)	5.5 in (14 cm)	6.1 in (16 cm)
CURB WEIGHT*	986 lb (447 kg)	1,354 lb (614 kg)	1,072 lb (486 kg)
FLOOR BOARD HEIGHT	13.2 in (34 cm)	12.8 in (33 cm)	13 in (33 cm)
TIRE SIZE	205/65-10 4-PLY	205/65-10 4-PLY	
FUEL TANK CAPACITY	22 liters (5.8 gallons)	N/A	
SEATING CAPACITY	Two persons	Two persons	
AVAILABLE MODEL COLORS	Glacier	Glacier	
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone	Standard: Black Optional: Stone	
AVAILABLE SUN TOP COLORS	Black	Black	
WARRANTY	Standard 2-year limited vehicle warranty	Standard 2-year limited vehicle warranty	
MAX FORWARD SPEED	19 mph (30.5 km/h)	19.5 mph (31.4 km/h)	
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)	14.4 ft (4.4 m)	
ENGINE TYPE (Gas) MOTOR (Electric)	Yamaha-built 357 cc, Low Emission Single Cylinder 60° Incline OHV	48-volt AC Motor	
LUBRICATION SYSTEM	Splash-style positive oil lubrication	N/A	
OIL CAPACITY OUTPUT RATING	1.06 U.S. quart (1 liter, 1000 cc)	6.7hp (5.0 kw)	
AIR CLEANER MOTOR CONTROL UNIT	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge	NEOS 350 amp AC controller by Toyota Industries Corporation	Toyota Industries-built motor controller unit
COOLING SYSTEM BATTERIES	Forced air cooled	Six 8-volt Trojan T-875 Batteries	Lithium Ion Phosphate
STARTING SYSTEM CHARGER	Starter generator with pedal start system	Delta-Q Charger	
FUEL SYSTEM	Electronic fuel injection	N/A	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat	
BODY	Mold-in Polypropylene	Mold-in Polypropylene	
STEERING	Self-Compensating double reduction helical rack-and-pinion	Self-Compensating double reduction helical rack-and-pinion	
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension	Tru-Trak II™ fully independent automotive-style strut suspension	
REAR SUSPENSION	Fully independent automotive-style strut suspension	Unit swing arm with coil springs over hydraulic shock absorbers	
BRAKES	Self-adjusting mechanical, rear-wheel drum brakes	Self-adjusting mechanical, rear-wheel drum brakes	
BUMPERS	Front and rear 5 mph energy-absorbing bumpers	Front and rear 5 mph energy-absorbing bumpers	
CARGO BED LENGTH	70.1 in (178 cm)	70.1 in (178 cm)	
CARGO BED WIDTH	47 in (120 cm)	47 in (120 cm)	
CARGO BED HEIGHT	7.9 in (20 cm)	7.9 in (20 cm)	
CARGO BED CAPACITY	800 lb (363 kg)	800 lb (363 kg)	

*Includes suntop, battery, oil, and gasoline when applicable.

SPECIFICATIONS

UMAX GAS

UMAX ELECTRIC

	UMAX EFI	RALLY EFI	RALLY²⁺² EFI	UMAX AC	UMAX LI	RALLY LI	RALLY²⁺² LI
OVERALL LENGTH	119.3 in (303.0 cm)	122.6 in (311.5 cm)	134.4 in (341.5 cm)	119.3 in (303.0 cm)		122.6 in (311.5 cm)	
OVERALL WIDTH	49.4 in (125.5 cm)	53.5 in (136.0 cm)		49.4 in (125.5 cm)		53.5 in (136.0 cm)	
OVERALL HEIGHT (WITH SUN TOP)	71.9 in (182.5 cm)	74.0 in (188.0 cm)	76.8 in (195.0 cm)	71.9 in (182.5 cm)		74.0 in (188.0 cm)	
OVERALL HEIGHT (NO SUN TOP)	48.6 in (123.5 cm)	65.4 (166.0)		48.6 in (123.5 cm)		65.4 in (166.0 cm)	
WHEELBASE	77.2 in (196.0 cm)	77.4 in (196.5 cm)		77.2 in (196.0 cm)		77.4 in (196.5 cm)	
FRONT WHEEL TREAD	40.4 in (102.5 cm)	41.3 in (105.0 cm)		40.4 in (102.5 cm)		41.3 in (105.0 cm)	
REAR WHEEL TREAD	40.2 in (102.0 cm)	41.3 in (105.0 cm)		40.2 in (102.0 cm)		41.3 in (105.0 cm)	
MINIMUM GROUND CLEARANCE	4.5 in (11.5 cm)	5.9 in (15.0 cm)		4.5 in (11.5 cm)		5.9 in (15.0 cm)	
CURB WEIGHT*	1,096 lb (497kg)	1,188 lb (539 kg)	1,367 lb (620 kg)	1,460 lb (662 kg)	1,096 lb (497 kg)	1,184 lb (537 kg)	1,363 lb (618 kg)
TIRE SIZE	20x10-10 4-ply Monitor K389 (front) K500 (rear)	23x13.50-12 4-ply		20x10-10 4-ply Monitor		23x13.50-12 4-ply	
FUEL TANK CAPACITY	5.2 US gal (20 liters)			N/A			
SEATING CAPACITY	Two Persons		Four Persons	Two Persons		Four Persons	
AVAILABLE MODEL COLORS	Glacier, Coral Red, Bluestone, Carbon, Evergreen			Glacier, Coral Red, Bluestone, Carbon, Evergreen			
AVAILABLE SEAT & SUN TOP COLOR	Black			Black			
WARRANTY	Standard 2-year limited vehicle warranty			Standard 2-year limited vehicle warranty			
MAX FORWARD SPEED	19.5 mph (31.4 km/h)			19.5 mph (31.4 km/h)			
MAX REVERSE SPEED	14.6 mph (23 km/h)			6.2 mph (10 km/h)			
MINIMUM TURNING RADIUS	13.1 ft (4.0 m)			13.1 ft (4.0 m)			
G.V.W.R.	2,225 lb (1,009 kg)	2,379 lb (1,079 kg)	2,209 lb (1,002 kg)	2,589 lb (1,174 kg)	2,225 lb (1,009 kg)	2,375 lb (1,077 kg)	2,205 lb (1,000 kg)
ENGINE TYPE (Gas) MOTOR (Electric)	Yamaha-built 402 cc, Low Emission Single Cylinder 60° Incline OHV			48-volt AC Motor			
HORSEPOWER OUTPUT RATING	14.25 hp (3600 rpm)			6.7 hp (5.0kw for 60 minutes)			
AIR CLEANER MOTOR CONTROL UNIT	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge			NEOS 350 amp AC controller by Toyota Industries Corporation			
FUEL SYSTEM BATTERIES	Electronic fuel injection			Eight 6-volt Trojan T-105 Batteries	RoyPow S51105PC (51-volt)		
STARTING SYSTEM	Electric starter/generator			N/A			
COOLING SYSTEM	Forced air			N/A			
LUBRICATION SYSTEM	Splash-stye positive oil lubrication			N/A			
OIL CAPACITY	1.16 U.S. Quart (1.1 Liter, 1100cc), Yamalube 10W-30 or 10W-40			N/A			
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			
STEERING	Self-Compensating double reduction helical rack-and-pinion			Self-Compensating double reduction helical rack-and-pinion			
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension			Tru-Trak II™ fully independent automotive-style strut suspension			
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes			Self-adjusting mechanical, front and rear wheel drum brakes			
CARGO BED MAX LOAD	800 lb (363 kg)		N/A	800 lb (363 kg)		N/A	
Maximum Rear Flip-Seat/Cargo Capacity	N/A	N/A	250lbs Cargo with Flip-Seat in Cargo Position 400lbs for 2 passengers with Flip-Seat in RFS Position	N/A	N/A	N/A	250lbs Cargo with Flip-Seat in Cargo Position 400lbs for 2 passengers with Flip-Seat in RFS Position
MAXIMUM TOWING CAPACITY	1,500 lb (680 kg)		N/A	1,500 lb (680 kg)		N/A	
MAX TONGUE WEIGHT	150 lb (68 kg)		N/A	150 lb (68 kg)		N/A	
VEHICLE RATED CAPACITY	1,200 lb (544 kg)	N/A		1,200 lb (544 kg)		850 lb	
CARGO BED DIMENSIONS	41.1"L x 45.9"W x 11.8"H		N/A	41.1"L x 45.9"W x 11.8"H		N/A	

*Includes suntop, battery, oil, and gasoline when applicable.

DIMENSIONS

GENERAL / PERFORMANCE

ENGINE / MOTOR / POWER SUPPLY

CHASSIS

DIMENSIONS

GENERAL / PERFORMANCE

ENGINE / MOTOR / POWER SUPPLY

CHASSIS



Shown with optional Yamaha Genuine Accessories



1270 Chastain Road NW
Kennesaw, Georgia 30144
1.866.747.4027 | YamahaGolfCar.com



Scan for a digital copy of this brochure

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services. Products and specifications are subject to change without notice.



Contract # R10-1175C



Contract # 091024-YGC



Contract # 706-23